

Aviary & Cage Mesh

C. E. Shepherd Company Wire Mesh Products



PVC Coated Wire Mesh

for containment applications
poultry, gamebirds, zoo animals, livestock & pets



3" x 1/2" PVC Coated Mesh




12 Gauge		
Width	Length	Roll Weight
24"	50'	102 lbs
36"	50'	151 lbs
48"	50'	200 lbs
60"	50'	250 lbs
72"	50'	300 lbs
14 Gauge (shown)		
Width	Length	Roll Weight
24"	100'	118 lbs
36"	100'	176 lbs
48"	100'	234 lbs
60"	100'	292 lbs
72"	100'	350 lbs

2" x 1" PVC Coated Mesh



12 Gauge (shown)		
Width	Length	Roll Weight
18"	100'	102 lbs
24"	100'	151 lbs
30"	100'	200 lbs
36"	100'	250 lbs
48"	100'	300 lbs
14 Gauge		
Width	Length	Roll Weight
24"	100'	77 lbs
30"	100'	96 lbs
36"	100'	114 lbs
48"	100'	151 lbs
60"	100'	188 lbs
72"	100'	226 lbs

2" x 2" PVC Coated Mesh



14 Gauge (shown)		
Width	Length	Roll Weight
18"	100'	40 lbs
24"	100'	53 lbs
36"	100'	79 lbs
48"	100'	99 lbs
60"	100'	129 lbs
72"	100'	148 lbs

1" x 2" PVC Coated Mesh




14 Gauge (shown)		
Width	Length	Roll Weight
24"	100'	79 lbs
30"	100'	96 lbs
36"	100'	114 lbs
48"	100'	157 lbs
60"	100'	188 lbs
72"	100'	226 lbs

1" x 1" PVC Coated Mesh



14 Gauge (shown)		
Width	Length	Roll Weight
18"	100'	77 lbs
24"	100'	101 lbs
30"	100'	126 lbs
36"	100'	151 lbs
48"	100'	201 lbs
60"	100'	250 lbs
72"	100'	300 lbs

1" Hex PVC Coated Mesh



20 Gauge (shown)		
Width	Length	Roll Weight
24"	150'	40 lbs
36"	150'	58 lbs
48"	150'	79 lbs
60"	150'	99 lbs
72"	150'	118 lbs

1/2" x 1/2" PVC Coated Mesh



16 Gauge (shown)		
Width	Length	Roll Weight
24"	100'	131 lbs
30"	100'	163 lbs
36"	100'	196 lbs
48"	100'	260 lbs

1" x 1/2" PVC Coated Mesh




16 Gauge (shown)		
Width	Length	Roll Weight
24"	100'	94 lbs
30"	100'	117 lbs
36"	100'	146 lbs
48"	100'	194 lbs

3/4" x 3/4" PVC Coated Mesh



14 Gauge (shown)		
Width	Length	Roll Weight
48"	100"	267 lbs


1/4" x 1/4" PVC Coated Mesh




23 Gauge (shown)		
Width	Length	Roll Weight
24"	100'	65 lbs
30"	100'	80 lbs
36"	100'	92 lbs

Quick Guide to Wire Gauges


23 Gauge Wire
 Nominal diameter 0.0258"
 Nominal coating thickness 0.015"




20 Gauge Wire
 Nominal diameter 0.034"
 Nominal coating thickness 0.015"




16 Gauge Wire
 Nominal diameter 0.0625"
 Nominal coating thickness 0.015"



14 Gauge Wire
 Nominal diameter 0.080"
 Nominal coating thickness 0.017"



12 Gauge Wire
 Nominal diameter 0.1055"
 Nominal coating thickness 0.020"




Shepherd Fuse Bonded PVC-coated wire begins with high-quality galvanized steel wire which is twisted or welded into a tough, strong mesh. The mesh is then carefully cleaned and primed. The PVC coating is "fuse-bonded" to the heated wire mesh through a special, exacting process. This special process provides a strong, smooth, durable coating without pinholes or thin spots.


All meshes are shown approximate size. Mesh sizes listed are those most commonly used in these industries. Other mesh configurations, gauges and coil widths are available. In some cases, a minimum order quantity may be required.

Standard PVC color is black. Mesh may also be available in green, grey, orange, red, yellow or additional colors. Mesh shown may be available galvanized only.

Typical Cross Section View Shepherd PVC Coated Wire



Quick Guide to Roll & Mesh Dimensions



Revised 09/29/03



C. E. Shepherd Company

2221 Canada Dry Street, Houston, TX 77023 • 713.924.4300 • 713.928.2324 fax • www.ceshepherd.com